

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

21559 c 12/11/2007 CLARK & ELBING LLP 101 FEDERAL STREET BOSTON, MA 02110

Paper No.

Application No.:	10/583,814	Date Mailed:	12/11/2007
First Named Inventor:	Bondy, Steven, S.	Examiner:	,
Attorney Docket No.:	50304/128001	Art Unit:	1614
Confirmation No.:	4926	Filing Date:	06/04/2007

Please find attached an Office communication concerning this application or proceeding.

Notice of Non-Compliant Amendment (37 CFR 1.121) Application No. | Applicant(s) | BONDY ET AL. | Art Unit | 1700 |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

The amendment document filed on <u>22 June</u>, <u>2006</u> is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required.

	purements of 37 CPR 1.121 or 1.4. In order for the amendment document to be compilant, correction of the following m(s) is required.
TH	EFOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: A. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other
	□ 2. Abstract: □ A. Not presented on a separate sheet. 37 CFR 1.72. □ B. Other
	□ 3. Amendments to the drawings: □ A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet," as required by 37 CFR 1.121(d). □ B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required. □ C. Other
	 ✓ 4. Amendments to the claims:
	☐ 5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4): For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.
	ME PERIODS FOR FILING A REPLY TO THIS NOTICE: Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendment filled after allowance, or a drawing submission (only) If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the entire corrected amendment must be resubmitted.
2.	Applicant is given one month , or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a 190-plemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1 to 4 are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121.
	Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action. Failure to timely respond to this notice will result in: Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment

Legal Instruments Examiner (LIE), if applicable SUSAN A. HAY

filed in response to a Quayle action; or

Telephone No: (571)2721017

amendment.

Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental

Continuation of 4. Other: THE US UTILITY APPLICATION HAS 71CLAIMS THE 06/22/06 PRELIMARY AMENDMENT NEW CLAIM 70 TO BE ADDED.